

# Construction Products Regulation Declaration of Performance

1. Product:  
**Aluminium Casement Window MK5 (Conservatory Module)**

2. Type:  
**A-WMK5C**

3. Intended use:  
**Non escape route external window without resistance to fire or smoke leakage characteristics, intended to be used in domestic locations.**

4. Manufacturer:  
**Everest Limited, Sopers Road, Cuffley, EN6 4SG**



19

5. Assessment and verification of consistency of performance:  
**System 3**

6. Relevant Harmonised Standard:  
**BS EN 14351-1:2006+A2 : 2016**  
**Initial Type Test Performed by: Exova I121-Rep. no WIL328908, Chiltern I314-Rep. no P08136**

7. Factory Production Control:  
**ISO9001:2015 FSI2831**

8. Declared Performance:

	Performance	Notified body
Resistance to wind load	npd	
Watertightness	npd	
Air permeability	npd	
Dangerous substances:	None present	836
Thermal transmittance:	$\leq 1,9 \text{ W/m}^2\text{K}$	I121
Radiance properties - solar factor:	npd	
Load bearing capacity of Safety Device:	350N	I314
Acoustic performance:	npd	

Signed for and on behalf of Everest Limited by:



Kevin Brown, Sales and Marketing Director